

Dr. med. M. P. H. Barbara Hochstrasser

Anwendung von Achtsamkeit im klinischen Kontext

Bibliografie

- ¹ Michalak J, et al.: Achtsamkeit. 2012, Göttingen, Bern, Wien, Paris, Oxford, Prag, Toronto: Hogrefe Verlag GmBH.
- ² Lutz E, et al.: Attention regulation and monitoring during meditation. *Trends Cog. Sci.* 2008; 12: 163–169.
- ³ Hauswald A, et al.: What it means to be Zen: Marked modulations of local and interareal synchronization during open monitoring meditation. *Neuroimage* 2015; 108: 265–273.
- ⁴ Bohus M, et al.: Linehan dialectic behavioral psychotherapy. A new concept in the treatment of borderline personality disorders. *Nervenarzt* 1996; 67(11): 911–923.
- ⁵ Kabat-Zinn J: Full catastrophe living: The program of the stress reduction clinic at the University of Massachusetts Medical Centre. 1990, New York: Delta.
- ⁶ Kabat-Zinn J: Mindfulness-based interventions in context: past, present, future. *Clinical Psychology: Science and Practice* 2003; 10(2): 144–156.
- ⁷ Kabat-Zinn J, et al.: *Gesund durch Meditation - Das grosse Buch der Selbstheilung*. 2006, Frankfurt am Main: Fischer.
- ⁸ Lehrhaupt L, et al.: *Stress bewältigen durch Achtsamkeit*. 2013, München: Kösel-Verlag.
- ⁹ Amutio A, et al.: Enhancing relaxation states and positive emotions in physicians through a mindfulness training program: A one-year study. *Psychol Health Med* 2015; 20(6): 720–731.
- ¹⁰ Nyklíček I, et al.: Effects of mindfulness-based stress reduction intervention on psychological well-being and quality of life: is increased mindfulness indeed the mechanism? *Ann Behav Med* 2008; 35(3): 331–340.
- ¹¹ Segal Z, et al.: *Die Achtsamkeitsbasierte Kognitive Therapie der Depression: ein neuer Ansatz zur Rückfallprävention*. 2008 DgTV Verlag.
- ¹² Segal ZV, et al.: Antidepressant monotherapy vs sequential pharmacotherapy and mindfulness-based cognitive therapy, or placebo, for relapse prophylaxis in recurrent depression. *Arch Gen Psychiatry* 2010; 67(12): 1256–1264.
- ¹³ Kuyken W, et al.: The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). *Health Technol Assess.* 2015; 19(73): 1–124.
- ¹⁴ Farb N, et al.: Prevention of relapse/recurrence in major depressive disorder with either mindfulness-based cognitive therapy or cognitive therapy. *Consult Clin Psychol.* 2018; 86(2): 200–204.
- ¹⁵ Segal ZV, et al.: Practice of therapy acquired regulatory skills and depressive relapse/recurrence prophylaxis following cognitive therapy or mindfulness based cognitive therapy. *J Consult Clin Psychol.* 2019; 87(2): 161–170.
- ¹⁶ Zhang Z, et al.: The effect of CBT and its modifications for relapse prevention in major depressive disorder: a systematic review and meta-analysis. *BMC Psychiatry* 2018; 18(1): 50.
- ¹⁷ Williams M, et al.: *Der achtsame Weg durch die Depression*. 2011, Freiburg im Breisgau: Arbor Verlag.
- ¹⁸ Germer CK, et al.: Self-compassion in clinical practice. *J Clin Psychol.* 2013; 69(8): 856–867.
- ¹⁹ Neff KD, et al.: A pilot study and randomized controlled trial of the mindful self-compassion program. *J Clin Psychol.* 2013; 69(1): 28–44.
- ²⁰ Feliu-Soler A, et al.: Fostering Self-Compassion and Loving-Kindness in Patients With Borderline Personality Disorder: A Randomized Pilot Study. *Clin Psychol Psychother* 2017; 24(1): 278–286.
- ²¹ Neff K: *Selbstmitgefühl-Schritt für Schritt*. 2017, Freiburg im Breisgau: Arbor Verlag.
- ²² Britton WB, et al.: Awakening is not a metaphor: the effects of Buddhist meditation practices on basic wakefulness. *Ann N Y Acad Sci* 2014; 1307: 64–81.
- ²³ Wahbeh H, et al.: A Systematic Review of Transcendent States Across Meditation and Contemplative Traditions. *Explore (NY)* 2018; 14(1): 19–35.
- ²⁴ Nyklíček I, Kuijpers KF: Effects of mindfulness-based stress reduction intervention on psychological well-being and quality of life: is increased mindfulness indeed the mechanism? *Ann Behav Med* 2008; 35(3): 331–340.
- ²⁵ Amutio A, et al.: Enhancing relaxation states and positive emotions in physicians through a mindfulness training program: A one-year study. *Psychol Health Med* 2015; 20(6): 720–731.
- ²⁶ Janssen M, et al.: Effects of Mindfulness-Based Stress Reduction on employees' mental health: A systematic review. *PLoS One* 2018; 13(1): e0191332.
- ²⁷ Aftanas LI, Golosheikine SA: Human anterior and frontal midline theta and lower alpha reflect emotionally positive state and internalized attention: high-resolution EEG investigation of meditation. *Neurosci Lett.* 2001; 310(1): 57–60.
- ²⁸ Travis F, Shear J: Focused attention, open monitoring and automatic self-transcending: Categories to organize meditations from Vedic, Buddhist and Chinese traditions. *Conscious Cogn* 2010; 19(4): 1110–1118.
- ²⁹ Hauswald A, et al.: What it means to be Zen: Marked modulations of local and interareal synchronization during open monitoring meditation. *Neuroimage* 2015; 108: 265–273.
- ³⁰ Hölzel BK, et al.: Differential engagement of anterior cingulate and adjacent medial frontal cortex in adept meditators and non-meditators. *Neurosci Lett.* 2007; 421(1): 16–21.
- ³¹ Lardone A, et al.: Mindfulness Meditation Is Related to Long-Lasting Changes in Hippocampal Functional Topology during Resting State: A Magnetoencephalography Study. *Neural Plast.* 2018; 2018: 5340717. doi: 10.1155/2018/5340717. eCollection 2018.
- ³² Grant JA, et al.: Cortical thickening and pain sensitivity in zen meditators. *Emotion* 2010; 10: 43–53.
- ³³ Pagoni G, Cecik M: Age effects on gray matter volume and attentional performance in Zen meditation. *Neurobiol. Aging* 2007; 28: 1623–1627.
- ³⁴ Luders E, et al.: The underlying anatomical correlates of long term mediation: larger hippocampal and frontal volumes of gray matter. *Neuroimage* 2009; 57: 672–678.
- ³⁵ Hölzel BK, et al.: Stress reduction correlates with structural changes in the amygdala. *Social Cognitive and Affective Neuroscience* 2009; 5(1): 11–17.
- ³⁶ Leung NT, et al.: Increased gray matter volume in the right angular and posterior hippocampal gyri in loving-kindness meditators. *Social Cognitive and Affective Neuroscience* 2013; 8(1): 34–39.