

Dr. med. Suzie Diener

## Wenn es kribbelt, brennt und juckt

### Bibliografie

- 1 Finnerup NB, et al.: Neuropathic pain: an updated grading system for research and clinical practice. *Pain* 2016; 157 (8): 1599–1606.
- 2 Treede RD, et al.: Neuropathic pain: redefinition and a grading system for clinical and research purposes. *Neurology* 2008; 70 (18):1630–1635.
- 3 Üçeyler N, et al.: Small Fiber Neuropathien. *Akt neurol* 2013; 40 (02): 96–100.
- 4 van Hecke O, et al.: Neuropathic pain phenotyping by international consensus (NeuroPPIC) for genetic studies: a NeuPSIG systematic review, Delphi survey, and expert panel recommendations. *Pain* 2015; 156: 2337–2353.
- 5 Sommer C, et al.: A modified score to identify and discriminate neuropathic pain: a study on the German version of the Neuropathic Pain Symptom Inventory (NPSI). *BMC Neurol* 2011; 11: 104.
- 6 Krause SJ, et al.: Development of a neuropathic pain questionnaire. *Clin J Pain* 2003; 19: 306–314.
- 7 Bennett M: The LANSS Pain Scale: the Leeds assessment of neuropathic symptoms and signs. *Pain* 2001; 92: 147–157.
- 8 Terkelsen AJ, et al.: The diagnostic challenge of small fiber neuropathy: clinical presentations, evaluations, and causes. *Lancet Neurol* 2017; 16 (11): 934–944.
- 9 Rolke R, et al.: Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): standardized protocol and reference values. *Pain* 2006; 123: 231–243.
- 10 Magerl W, et al.: Reference data for quantitative sensory testing (QST): refined stratification for age and a novel method for statistical comparison of group data. *Pain* 2010; 151: 598–605.
- 11 Pfau DB, et al.: Quantitative sensory testing in the German Research Network on Neuropathic Pain (DFNS): reference data for the trunk and application in patients with chronic postherpetic neuralgia. *Pain* 2014; 155 (5): 1002–1015.
- 12 Kennedy WR, et al.: Pathology and quantitation of cutaneous nerves. In: Dyck PJ, Thomas PK. (eds.). *Peripheral Neuropathy*. Philadelphia: Elsevier Saunders 2005; 869–896.
- 13 Müller LJ, et al.: Corneal nerves: structure, contents and function. *Exp Eye Res* 2003; 76 (5): 521–542.
- 14 Tavakoli M, et al.: Corneal confocal mic- roscopy detects small-fiber neuropathy in Charcot-Marie- Tooth disease type 1A patients. *Muscle Nerve* 2012; 46: 698–704.
- 15 Ferdousi M, et al.: Corneal Confocal Microscopy Detects Small Fibre Neuropathy in Patients with Upper Gastrointestinal Cancer and Nerve Regeneration in Chemotherapy Induced Peripheral Neuropathy. *PLoS One* 2015; 10: e0139394.
- 16 Asghar O, et al.: Corneal confocal mic- roscopy detects neuropathy in subjects with impaired glucose tolerance. *Diabetes Care* 2014; 37: 2643–2646.
- 17 Chen X, et al.: Small nerve fiber quantification in the diagnosis of diabetic sensorimotor polyneuro- pathy: comparing corneal confocal microscopy with intraepidermal nerve fiber density. *Diabetes Care* 2015; 38: 1138–1144.
- 18 Agostino R, et al.: Dysfunction of small myelinated afferents in diabetic poly- neuropathy, as assessed by laser evoked potentials. *Clin Neurophysiol* 2000; 111: 270–276.
- 19 Kaube H, et al.: A new method to increase nociception specificity of the human blink reflex. *Clin Neurophysiol* 2000; 111: 413–416.
- 20 Jamal GA, et al.: Cerebral cortical potentials to pure non-painful temperature stimulation: an objective technique for the assessment of small fibre pathway in man. *J Neurol Neurosurg Psychiatry* 1989; 52: 99–105.
- 21 Engelhardt A: Diagnostic pathways for polyneuropathy. Part 1: Medical history, clinical symptoms]. *Fortschr Neurol Psychiatr* 2008; 76: 429–436; quiz 437–439.
- 22 Schlereth T, et al.: Diagnose und nicht interventionelle Therapie neuropathischer Schmerzen, S2k-Leitlinie 2019; in: Deutsche Gesellschaft für Neurologie (Hrsg.), Leitlinien für Diagnostik und Therapie in der Neurologie.
- 23 Heuß D. et al.: Diagnostik bei Polyneuropathien, S1-Leitlinie 2019; in: Deutsche Gesellschaft für Neurologie (Hrsg.), Leitlinien für Diagnostik und Therapie in der Neurologie.